


FOUNDATIONS OF MATHEMATICS AND PRE-CALCULUS 10

DATA PAGES


UNIT CONVERSION

	Common Imperial	Imperial and SI	SI
Length	1 mile = 1760 yards 1 mile = 5280 feet 1 yard = 3 feet 1 yard = 36 inches 1 foot = 12 inches	1 mile $\approx$ 1.609 km 1 yard = 0.9144 m 1 foot = 30.48 cm 1 inch = 2.54 cm	1 km = 1000 m 1 m = 100 cm 1 cm = 10 mm
Mass (Weight)	1 ton = 2000 pounds 1 pound = 16 ounces	2.2 pounds $\approx$ 1 kg 1 pound $\approx$ 454 g 1 ounce $\approx$ 28.35 g	1 t = 1000 kg 1 kg = 1000 g
Common Abbreviations	mile = mi yard = yd feet = ' or ft inch = " or in ton = tn pound = lb ounce = oz		kilometre = km metre = m centimetre = cm millimetre = mm tonne (metric ton) = t gram = g

FORMULAE

(Put your calculator in Degree Mode) • Right triangles $\sin A = \frac{\text{opposite}}{\text{hypotenuse}}$ $\cos A = \frac{\text{adjacent}}{\text{hypotenuse}}$ $\tan A = \frac{\text{opposite}}{\text{adjacent}}$  Pythagorean Theorem $a^2 + b^2 = c^2$ distance = speed $\times$ time		• The equation of a line: $y = mx + b$ $Ax + By + C = 0$ $y - y_1 = m(x - x_1)$ • The slope of a line: $m = \frac{\text{rise}}{\text{run}} = \frac{\Delta y}{\Delta x} = \frac{y_2 - y_1}{x_2 - x_1}$
		Math Tiles Legend
		 $+x^2$  $-x^2$  $+x$  $-x$  $+1$  -1






GEOMETRIC FORMULAE




Key Legend	
l = length	P = perimeter
w = width	C = circumference
b = base	A = area
h = height	SA = surface area
s = slant height	V = volume
r = radius	
d = diameter	

Geometric Figure	Perimeter	Area
Rectangle 	$P = 2l + 2w$ or $P = 2(l + w)$	$A = lw$
Triangle 	$P = a + b + c$	$A = \frac{bh}{2}$
Circle 	$C = \pi d$ or $C = 2\pi r$	$A = \pi r^2$

NOTE: Use the value of π programmed in your calculator rather than the approximation of 3.14.

Geometric Solid	Surface Area	Volume
Cylinder 	$A_{top} = \pi r^2$ $A_{base} = \pi r^2$ $A_{side} = 2\pi rh$ $SA = 2\pi r^2 + 2\pi rh$	$V = (\text{area of base}) \times h$
Sphere 	$SA = 4\pi r^2$ or $SA = \pi d^2$	$V = \frac{4}{3}\pi r^3$
Cone 	$A_{side} = \pi rs$ $A_{base} = \pi r^2$ $SA = \pi r^2 + \pi rs$	$V = \frac{1}{3} \times (\text{area of base}) \times h$
Square-Based Pyramid 	$A_{triangle} = \frac{1}{2}bs$ (for each triangle) $A_{base} = b^2$ $SA = 2bs + b^2$	$V = \frac{1}{3} \times (\text{area of base}) \times h$
Rectangular Prism 	$SA = wh + wh + lw + lw + lh + lh$ or $SA = 2(wh + lw + lh)$	$V = (\text{area of base}) \times h$
General Right Prism	$SA = \text{the sum of the areas of all the faces}$	$V = (\text{area of base}) \times h$
General Right Pyramid	$SA = \text{the sum of the areas of all the faces}$	$V = \frac{1}{3} \times (\text{area of base}) \times h$



NOTE: Use the value of π programmed in your calculator rather than the approximation of 3.14.

ROUGH WORK SPACE
(No marks will be given for work done on this page.)

